Technical Specifications

HP Series 7 Pro 37.5 inch WQHD+ Thunderbolt 4 Monitor - 738pu

Front

1.	Power Button	**2.**	Power LED

Technical Specifications

### HP Series 7 Pro 37.5 inch WQHD+ Thunderbolt 4 Monitor - 738pu

Back

1. Joypad OSD button

2. Security Cable Slot

3. Power Connector

4. USB Type-C® 10Gbps signaling rate (charging). (Right) USB Type-A 10Gbps signaling rate (dedicated port for keyboard for KVM switch) (Left)

5. HDMI 2.0

6. DisplayPort™ 1.4

7. DisplayPort™ 1.4 - out port

8. 1 USB Type-C® 10Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort™ 1.4)

9. 1 Thunderbolt™ 4 Out port for daisy chain (charging)

10. 1 Thunderbolt™ 4 40Gbps (up to 100 W USB Power Delivery, DisplayPort™ 1.4)

11. RJ-45 (10/100/1000 Mbps) (Network Port)

12. USB Type-A port 10Gbps signaling rate (dedicated port for Text-to-Speech Adapter)

13. 2 USB Type-A port 10Gbps signaling rate

14. USB Type-A 10Gbps signaling rate (charging)

QuickSpecs

Technical Specifications

Model: 8K167AA, 8K167E9, 8K167AT, 8K167A5

Panel Specifications	**Display Size (Diagonal)**	37.5" (95.3 cm)
	Viewable Diagonal Size	37.52" (95.29 cm)
	Panel Technology	IPS Black
	Curvature	2300R
	Max Refresh Rate	60 Hz
	Native Resolution	WQHD+ (3840 x 1600)
	Panel Bit Depth	10 bit (8 bit + FRC)
	Aspect Ratio	21:9
	Brightness (Typical)	400 nits
	HDR	VESA DisplayHDR™ 400
	Display Contrast Ratio (Static)	2000:1
	Flicker Free	Yes
	Pixel Pitch	0.23 x 0.23
	Pixels Per Inch (PPI)	111 PPI
	Display Colors	Up to 1.07 billion colors supported*
		*Number of colors through A-FRC technology.
	Backlight Lamp Life Minimum (To Half Brightness - In Hours)	30k
	Backlight Type	Edge-lit
	Screen Treatment	Anti-glare
	Hardness	3H
	Haze	25%
	Response Time (Typical)	5ms GtG (with overdrive)
	Horizontal Viewing Angle (Typical Cr>10)	178°
	Vertical Viewing Angle (Typical Cr>10)	178°
	Panel Active Area Metric (W X H)	87.97 x 36.65 cm
	Panel Active Area Imperial (W X H)	34.63x14.43 in

NOTE: Performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Color	**sRGB**	100%
	Display P3	98%
Color Management	**Factory Color Calibrated**	Yes
	Calibrated Color Presets	P3, BT.709 D65, sRGB D65
	Color Space/ Subsampling Support	RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2
	RGB Channel Adjust	Yes, Gain
	User Calibration Support	Host software (Windows or macOS)
	External Calibration Support	X-Rite i1Display Pro
	Standalone/ Schedulable Calibration	Yes, Schedulable
	Default Color Temperature	Display P3
Monitor Specifications	**Bezel Type**	3-sided borderless
	Color Of Stand	Black and Silver
	Color Of Head	Black and Silver

Technical Specifications

Tilt	–5 to +20°
Swivel	±10° or ±30°*
	*For additional information call your local customer service representative for confirmation of your product spec and dimension.
Height Adjust Range	150 mm
Vesa Mounting	100 mm x 100 mm (bracket included)
Security Lock	Security lock–ready
Detachable Stand	Yes
Warranty	3/3/0 for LA, NA, EMEA, APJ (3/3/3 in select APJ Countries)
Low Blue Light	Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)
Zero Bright Dot Guarantee	Yes*
	*The HP Pixel Policy allows no bright sub-pixel defects for this display. For complete details, see https://support.hp.com/us-en/document/ish_3908867-3900920-16.
Microphone	Dual Microphone with DNN noise cancellation
Speaker Output Power	4 x 3W
Management Software	HP Client Management Script Library (CMSL)* HP Display Center**
	* The Client Management Script Library must be downloaded to the connected PC to run CMSL commands. Some limitations may apply to legacy displays. Visit support.hp.com to download HP CMSL.
	**Host PC requires Windows 10 and above. HP Display Center is available on the Microsoft store.

On Screen Display (OSD)	**On Screen Display**	Image, Color, Split Screen, Input, Audio, Power, Menu, Management, Information
	Native Resolution	WQHD+ (3840 x 1600)*
		* DisplayPort™ 1.4 or HDMI 2.0 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 3840 × 1600 at 60 Hz with 10-bit color using one DisplayPort™, HDMI,or USB Type-C® (DisplayPort™ alt mode), Thunderbolt™. The video card of the connected PC must be capable of supporting 3840 × 1600 at 60 Hz and include 1 HDMI or 1 DisplayPort™ outputs to drive the monitor at the Preferred Mode.
	Maximum Resolution	WQHD+ (3840 x 1600 @ 60 Hz)
	Preset Graphic Modes/Supported Resolutions	640 x 480 @60Hz 720 x 400@70Hz 800 x 600@60Hz 1024 x 768@60Hz 1280 x 720@60Hz 1280 x 1024@60Hz 1440 x 900@60Hz 1600 x 900@60Hz 1680 x 1050@60Hz

Technical Specifications

		1600 x 1200@60Hz
		1920 x 1080@60Hz
		1920 x 1200@60Hz
		2560 x 1440@60Hz
		2560 x 1600@60Hz
		3840 x 1600@60Hz
		3840 x 1600@30Hz
	Minimum Vertical Scan Rate	30 Hz
	Maximum Vertical Scan Rate	60 Hz
	Minimum Horizontal Scan Rate	30 kHz
	Maximum Horizontal Scan Rate	140 kHz
	Maximum Pixel Clock	600 MHz
	User Programmable Modes	Yes, 16
	User-Assignable Function Buttons	Yes, 4 (9 options)
	Audio	Built-in speakers with DTS Virtual:X™Certified
	Languages	11 (German, Simplified Chinese, Traditional Chinese, English, Spanish, French, Italian, Japanese, Netherlands, Brazilian Portuguese, Russian)
Connector Types	**DisplayPort™**	1 DisplayPort™ 1.4
	DisplayPort™ Out	1 DisplayPort™ 1.4-out
	HDMI	1 HDMI 2.0
	HDCP	Yes, DisplayPort™, HDMI, USB Type-C® and Thunderbolt™
	USB Type-C® Video & Data Transfer	1 Thunderbolt™ 4 with USB Type-C® 40Gbps signaling rate (up to 100 W USB Power Delivery, DisplayPort™ 1.4); 1 USB Type-C® 10Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort™ 1.4);
	USB Type-C® Data Transfer Only	1 USB Type-C® 10Gbps signaling rate (15 W charging)
	Thunderbolt™ Out	1 Thunderbolt™ 4 Out for Daisy chain (15 W charging)
	USB-Type-A	5 USB Type-A 10Gbps signaling rate (1 charging with 7.5 W)
	Ethernet	1 RJ-45 (10/100/1000 Mbps)
Special Features	**Picture-in-Picture, Picture-by-Picture**	Yes
	Switch	Next Active Input, Color, Split Screen (On/Off), Volume
	Remote Manageability	Out-of-Band MAPT, Out-of-Band WoL, PXE Boot
	User Presets	16
	User Updateable Firmware	Yes
	KVM Switch	Yes, Keyboard switch
Other Special Features		Device Bridge 2.0
		Ambient Light Sensor
		Single Power On
		Daisy chain
		Pantone validated
Power & Operating Specs	**Power Supply**	Internal
	Power Source	100 – 240 VAC 50/60 Hz
	Power Consumption- Max	318 W

Technical Specifications

	Energy Saving/Stand By Mode	0.5 W
	Power Consumption - Typical	62 W
Energy Star Data	**Operational Mode at 100 VAC**	35.15 W
	Operational Mode at 115 VAC	35.11 W
	Operational Mode at 230 VAC	35.54 W
EU Energy Efficiency Class (ErP LOT-5)	**On-mode Power Consumption for Standard Dynamic Range (SDR)**	37.9 W
	ErP LOT5 Energy Efficiency Class for Standard Dynamic Range (SDR)	A↑G **G**
	On-mode Power Consumption for High Dynamic Range (HDR)	75 W
	ErP LOT5 Energy Efficiency Class for High Dynamic Range (HDR)	A↑G **G**
Operating Conditions	**Operating Temperature - Celsius**	5~35°C
	Operating Temperature - Fahrenheit	41– 95°F
	Non-Operating Temperature - Celsius	−20 – 60°C
	Non-Operating Temperature - Fahrenheit	−4 – 140°F
	Operating Humidity	20 – 80% Relative Humidity (non-condensing)
	Non-Operating Humidity	5~95%RH
	Operating Altitude Metric	0~5,000m
	Non-operating Altitude Metric	0~12,192m
	Operating Altitude Imperial	0~16,400ft
	Non-operating Altitude Imperial	0~40,000ft
Certifications and Compliances	**Low Halogen**	Yes*
		*External power supplies, WWAN modules, power cords, cables and peripherals excluded.
	Agency Approvals and Certifications	WW application CE,CB,KC/KCC/NOM/PSB/ICE/TUV-S/ISO 9241-307/ EAC/UL/CSA/PSB/ISC/CCC/CEL/CECP/SEPA/TCO/TCO Certified Edge/Energy Star/ISC/VCCI/FCC/BSMI/Korea MEPS/Ukraine EE/Belarus EE /WEEE/GS/Low Blue light/UAE/Ukraine/BIS/RCM
	Microsoft WHQL Certification	Windows 11, Windows 10
	ENERGY STAR® Certified	Yes
	EPEAT® Registered	EPEAT® Gold in United States*
		*Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit www.epeat.net for more information.
	China Energy Label	CEL Grade 2
	TCO Certified Edge	Yes
	TCO Certified	Yes

QuickSpecs

Technical Specifications

	SmartWay Transport Partnership - NA only	Yes (NA sku)	
Contains Recycled Plastics	**Contains Recycled Plastics**	90% post-consumer recycled plastic *	
		Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.	
	Recycled Metal	90% recycled aluminum * Made with 15% recycled steel *Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.*	
	Recyclable Packaging (Box, packing materials)	Outside box and corrugated cushions are 100% sustainably sourced and recyclable* *100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.*	

s

		Metric	**Imperial**
Unit Product/Package Specifications	**Product Dimensions** (Unpacked with stand) (W x D x H)	89.44 x 26.69 x 58.1 cm or 89.44 x 26.99 x 58.1 cm*	35.21 x 10.51 x 22.87 in or 35.21 x 10.63 x 22.87 in*
		For additional information call your local customer service representative for confirmation of your product spec and dimension.	
	Product Dimensions (Packed) (W x D x H)	106 x 22.6 x 52.7cm	41.73 x 8.9 x 20.75 in
	Display Head Dimensions (Unpacked without stand) (W x D x H)	89.44 x 10.84 x 39.69 cm	35.21 x 4.27 x 15.63 in
	Base Area Footprint (w x d mm)	320 x 235 mm or 320 x 238 mm*	12.6 x 9.25 in or 12.60 x 9.37 in*
		For additional information call your local customer service representative for confirmation of your product spec and dimension.	
	Bezel Measurements	Top: NA Sides: NA Bottom: 18.69mm	Top: NA Sides: NA Bottom: 0.74in
	Product Weight (Unpacked with stand)	12.25 kg	27.01 lb
	Product Weight (Packed)	18.9 kg	41.7 lb
	Product Weight (Head Only)	9.72 kg	21.43 lbs
Pallet Information	**Pallet Dimensions** (L x W x H mm)	Slip Sheet: 1150 x 1080 x 2121 mm (40'ft& 40'HQ) Pallet: 1150 x 1080 x 2245 mm (40'ft)	Slip Sheet: 45.28 x 42.52 x 83.5 inch (40'ft& 40'HQ) Pallet: 45.28 x 42.52 x 88.39 inch (40'ft)
	Pallet Total Weight	Slip Sheet: 385.2 kg (40'ft&40'HQ) Pallet: 397.2 kg (40'ft)	Slip Sheet: 849.2 lb (40'HQ) Pallet: 875.7 lb (40'ft)
	Pallet Layers	4 layers	

Technical Specifications

Pallet Product per Layer	5 sets
Total Products per Pallet	20 sets
Container Load, 20-Foot	200 sets (Slip Sheet and Pallet)
Container Load, 40-Foot	440 sets (Slip Sheet and Pallet)
Container Load, 40-Foot HighQ	440 sets (Slip Sheet and Pallet)

What's in the box?	AC power cord (1.83m) 5.9ft HDMI 2.0 cable (1.8m) 5.9 ft (Selected SKUs) USB 3.1 C-A cable (1.8m) (Selected SKUs) DisplayPort™ 1.4 cable (1.8m) (Selected SKUs) Thunderbolt™ cable (1m) Warranty Quick Setup Poster Color calibration report VESA Mount Adapter

User Guide and Warranty Languages	**User Guide Languages**	Arabic, Bahasa Indonesia, Bulgarian, Chinese-S, Chinese-T, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Kazakh, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese (Brazilian), Portuguese (Iberian), Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkey, Ukrainian
	Warranty Languages	English US (EN), English AP (EN-AP), English LA (EN-LA), English UK (EN-GB), Arabic (AR) -17x, Bahasa Indonesia (ID), Bosnian (BS), Bulgarian (BG), Chinese-S (CN), Chinese-T (TW), Croatian (HR), Czech (CS), Danish (DA), Dutch (NL), Estonian (ET), Finnish (FI), French Canadian (FC), French European (FR), German (DE), Greek (EL), Hebrew (HE), Hungarian (HU), Italian (IT), Japanese (JA), Kazakh (KK), Korean (KO), Latvian (LV), Lithuanian (LT), Norwegian (NO), Polish (PL), Portuguese, Brazilian (BR), Portuguese, Iberian (PT), Romanian (RO), Russian (RU), Serbian (SR), Slovak (SK), Slovenian (SL), Spanish, Castilian (ES-ES), Spanish, Latin America (ES-MX), Swedish (SV), Thai (TH), Turkish (TR), Ukrainian (UK), Vietnamese (VI)

QuickSpecs

Technical Specifications

ENVIRONMENTAL DATA

Eco-Label Certifications & declarations	This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks: • IT ECO declaration • US ENERGY STAR® • US Federal Energy Management Program (FEMP) • EPEAT® Gold registered in the United States. See http://www.epeat.net for registration status in your country. • TCO or TCO Certified Edge • China Energy Conservation Program (CECP) • China State Environmental Protection Administration (SEPA) • Taiwan Green Mark • Korea Eco-label • Japan PC Green label*
Sustainable Impact Specifications	• Product Carbon Footprint • 80% ITE – derived closed loop plastic. • 87.7% post-consumer recycled plastic • Low halogen • Outside Box and corrugated cushions are 100% sustainably sourced and recyclable • Molded Paper Pulp Cushion inside box is 100% sustainably sourced and recyclable. • Recycled Plastic cushions
System Configuration	The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a "Typically Configured Notebook".

Energy Consumption (in accordance with US ENERGY STAR® test method)	**115VAC, 60Hz**	**230VAC, 50Hz**	**100VAC, 50Hz**
Normal Operation (Short idle)	35.11W	35.54 W	35.14W
Normal Operation (Long idle)	35.11W	35.54 W	35.14 W
Sleep	0.83 W	0.85 W	0.83 W
Off	0.21 W	0.23 W	0.21W

NOTE:

Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows® operating system

Heat Dissipation*	**115VAC, 60Hz**	**230VAC, 50Hz**	**100VAC, 50Hz**
Normal Operation (Short idle)	120.1 BTU/hr	121.5 BTU/hr	121.5 BTU/hr
Normal Operation (Long idle)	120.1 BTU/hr	121.5 BTU/hr	121.5 BTU/hr
Sleep	2.8 BTU/hr	2.9 BTU/hr	2.8 BTU/hr
Off	0.7 BTU/hr	0.8 BTU/hr	0.7 BTU/hr

***NOTE:** Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.

Technical Specifications

Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the
	Spare parts are available throughout the warranty period and or for up to "5" years after the end of production.
Additional Information	• This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC. • This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC. • This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). • This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see www.epeat.net • Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043. • This product is 95.7% recycle-able when properly disposed of at end of life.

Packaging Materials	**External:**	PAPER/Corrugated	5455 g
		PAPER/Molded Pulp	50 g
		PAPER/Paper	35 g
	Internal:	PLASTIC/Polyethylene Expanded – EPE	160 g
	The plastic packaging material contains at least 60% recycled content.		
	The corrugated paper packaging materials contains at least 0% recycled content.		

RoHS Compliance	HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam. We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products. We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve. To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.
Material Usage	This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html): • Asbestos • Certain Azo Colorants • Certain Brominated Flame Retardants – may not be used as flame retardants in plastics

Technical Specifications

	• Cadmium • Chlorinated Hydrocarbons • Chlorinated Paraffins • Bis(2-Ethylhexyl) phthalate (DEHP) • Benzyl butyl phthalate (BBP) • Dibutyl phthalate (DBP) • Diisobutyl phthalate (DIBP) • Formaldehyde • Halogenated Diphenyl Methanes • Lead carbonates and sulfates • Lead and Lead compounds • Mercuric Oxide Batteries • Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. • Ozone Depleting Substances • Polybrominated Biphenyls (PBBs) • Polybrominated Biphenyl Ethers (PBBEs) • Polybrominated Biphenyl Oxides (PBBOs) • Polychlorinated Biphenyl (PCB) • Polychlorinated Terphenyls (PCT) • Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. • Radioactive Substances • Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging Usage	HP follows these guidelines to decrease the environmental impact of product packaging: • Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. • Eliminate the use of ozone-depleting substances (ODS) in packaging materials. • Design packaging materials for ease of disassembly. • Maximize the use of post-consumer recycled content materials in packaging materials. • Use readily recyclable packaging materials such as paper and corrugated materials. • Reduce size and weight of packages to improve transportation fuel efficiency. • Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
End-of-life Management and Recycling	HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner. The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.

QuickSpecs

Technical Specifications

HP, Inc. Corporate Environmental Information	For more information about HP's commitment to the environment: Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf
footnotes	- Percentage of ocean-bound plastic contained in each component varies by product - Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard. - External power supplies, WWAN modules, power cords, cables and peripherals excluded. 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers. - Fiber cushions made from 100% recycled wood fiber and organic materials. - Plastic cushions are made from >90% recycled plastic

Technical Specifications

QuickSpecs

Summary

Change Log			
November 6, 2024	V1 to V2	Updated	Package specification & Swivel
November 14, 2024	V2 to V3	Updated	Package specification & Swivel
November 29, 2024	V3 to V4	Added	HP Client Management Script Library (CMSL)
December 11, 2024	V4 to V5	Updated	HP Client Management Script Library (CMSL) Footnote
March 7, 2025	V5 to V6	Updated	Zero Bright Dot Warranty